



## Electronic Lectern Device



- Free Standing Poly Carbonate Body
- Lecture Device for Seamless Presentation
- Highly Sensitive Interactive Panel
- High Quality Speakers for Better Audio

Product image(s) are for illustrative purposes only and may differ from the actual product



## UNIVERSAL ENTERPRISES

Mangal Parao, Haldwani (Uttarakhand)  
Ph.: 05946-255434, Fax: 05946-252300  
Email: [universalenterprises111@gmail.com](mailto:universalenterprises111@gmail.com)

## Digital Podium - UE-LECT-4

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Construction             | Free standing caster wheel mounted with brakes capable of moving in all directions with a facility of lock them while the Electronic podium is in use, polymer powder coated steel body enclosure with metallic top panels to house hardware/software, designed to work in suitable environmental conditions, metallic top having lock and key and a sliding cover for opening / closing easily for placing documents laptop etc, housing and connectivity for visual presenter while the visualiser is in use and not in use, at the time of using the visualiser, drawer can be opened and Visualiser can be used, no port exposed on the outer body for breakage, cooling fans provided in the lower body, provision for logo at front side, access doors for servicing both from front and back sides of the podium, Wire managers on left, right sides and at bottom for flexibility of managing additional wires/wiring. |
| Sliding Trays            | For keeping a laptop, keyboard, and mouse                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Panel                    | Adjustable Motorized Facility up to 60 degree                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Monitor                  | Highly sensitive Interactive Touch Monitor and mechanism to make the panel stable to avoid shake while wiring                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Screen Type              | Color LED; Scratch resistant, antiglare & overlay tempered vandal resistant glass (3mm thickness)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Size                     | 21.5 inch                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Resolution               | 1920 x 1080 (Full HD)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Aspect Ratio             | 16:9/ 16:10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Brightness               | 250 cd/m <sup>2</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Response Time            | 5 ms                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Ports                    | External connectivity ports on housing: USB x 2, XLR x 1, HDMI IN/OUT x 1, VGA IN/OUT x 1, AUDIO IN/OUT x 1, LAN x 1; Ports (Display): 1 x HDMI/VGA, 1x USB                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Interactive Resolution   | 4000 Lpi (lines per inch)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Reading Accuracy         | ±0.5 mm (center)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Tracking Speed           | 200 points per second                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Pen Pressure sensitivity | 2048 Levels                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Viewing Angles           | 170(H) ; 160(V)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Touch                    | Finger                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

Produ



# UNIVERSAL ENTERPRISES

Mangal Parao, Haldwani (Uttarakhand)  
Ph.: 05946-255434, Fax: 05946-252300  
Email: universalenterprises111@gmail.com

|                                             |                                                                                                                                                                                                                            |
|---------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Speakers</b>                             | Inbuilt in display panel                                                                                                                                                                                                   |
| <b>Multimedia Controller</b>                |                                                                                                                                                                                                                            |
| <b>Ports on front Panel of Controller</b>   | VGA, HDMI, USB3.0 x 2, Audio IN                                                                                                                                                                                            |
| <b>Ports on Rear Panel of Controller</b>    | USB 3.0 x 2, VGA Input x 2, VGA Output x 2, RCA Audio IN x 1, RCA Audio Output x 2, HDMI Input x 2, HDMI Output x 2 , Programming Port (Phoenix connector)                                                                 |
| <b>Buttons on front Panel of Controller</b> | Push buttons to control volume up & down, volume mute to switch sources of HDMI visual presenter, VGA visual presenter, HDMI laptop, PC HDMI, VGA laptop, VGA PC & Controller Power On/Off, Display Power On and Power Off |
| <b>Source Switching</b>                     | Switching Visualiser/PC/Desktop/Laptop/TV/DVD with auto splitting between podium display & projection system                                                                                                               |
| <b>Built in HDMI Repeater</b>               | HDMI Output port support 15mtr HDMI cable                                                                                                                                                                                  |
| <b>Controller Resolution Output</b>         | 4K (3840 x 2160)                                                                                                                                                                                                           |
| <b>Power</b>                                | 5 V DC (Suitable Adaptor with controller)                                                                                                                                                                                  |
| <b>System Specifications</b>                |                                                                                                                                                                                                                            |
| <b>CPU Housing</b>                          | Small form factor, 2L volume                                                                                                                                                                                               |
| <b>Processor</b>                            | Intel Core i5, 10th Gen processor                                                                                                                                                                                          |
| <b>Memory</b>                               | 8 GB                                                                                                                                                                                                                       |
| <b>HDD/ Storage</b>                         | 250 GB SSD with 1 TB HDD                                                                                                                                                                                                   |
| <b>Audio</b>                                | Line-Out x 1/ Line-In x 1                                                                                                                                                                                                  |
| <b>Wi-Fi and Wireless LAN Card</b>          | Inbulit Wi-Fi / Wireless LAN Card                                                                                                                                                                                          |
| <b>Keyboard and Mouse</b>                   | Wireless Keyboard and Mouse                                                                                                                                                                                                |
| <b>Operating System</b>                     | Windows 10                                                                                                                                                                                                                 |
| <b>Ports</b>                                | HDMI x 1 , USB ports x 4, LAN Port x 1                                                                                                                                                                                     |
| <b>Rack</b>                                 | The podium has a 19-inch rack with adjustable shelves that can be used to fit international standard equipment.                                                                                                            |
| <b>Power Supply</b>                         | 180 -240V, 50Hz, AC                                                                                                                                                                                                        |
| <b>Metallic Spike Buster</b>                | 8 x 5 Amp modular universal metallic spike buster                                                                                                                                                                          |
| <b>Security</b>                             | Drawers, sliding trays, and doors can be locked with a physical key                                                                                                                                                        |

Product image(s) are for illustrative purposes only and may differ from the actual product



# UNIVERSAL ENTERPRISES

Mangal Parao, Haldwani (Uttarakhand)  
Ph.: 05946-255434, Fax: 05946-252300  
Email: universalenterprises111@gmail.com